Permit #: #28.3314-01-01C

Effective Date: Draft



Steven M Pirner, Secretary Department of Environment and Natural Resources

Under the South Dakota Air Pollution Control Regulations

Pursuant to Chapter 34A-1-21 of the South Dakota Codified Laws and the Air Pollution Control Regulations of the State of South Dakota and in reliance on statements made by the owner designated below, a permit to construct and operate is hereby issued by the Secretary of the Department of Environment and Natural Resources. This permit authorizes such owner to construct and operate the permitted unit(s) at the location designated below and under the listed conditions.

A. Owner

1. Company Name and Mailing Address

Twin City Fan Companies, Ltd.: Sioux Falls Spinning Company 2009 East 39th Street North Sioux Falls, South Dakota 57104

2. Actual Source Location if Different from Above

3. Permit Contact

Douglas DeJarnette, Safety & Environmental Risk Manager (605) 221-1098 ext# 3517

4. Facility Contact

Bob Sandnes, Operations Manager (605) 221-1098 ext# 3506

5. Responsible Official

Scott Wingen, Vice President of Manufacturing (605) 692-7333

B. Permit Revisions

Not applicable

C. Type of Operation

Manufacturer of industrial and commercial fans and blowers.

Draft August 2012 i

Table of Contents

| | | I | Page | | |
|-----|--|---|------|--|--|
| 1.0 | Standard Conditions1 | | | | |
| | 1.1 | Construction and operation of source | | | |
| | 1.2 | Duty to comply | | | |
| | 1.3 | Property rights or exclusive privileges | | | |
| | 1.4 | Penalty for violating a permit condition | | | |
| | 1.5 | Inspection and entry | | | |
| | 1.6 | Severability | | | |
| | 1.7 | Credible evidence | | | |
| 2.0 | Construction and Operating Permit Deadlines3 | | | | |
| | 2.1 | Commence construction | | | |
| | 2.2 | Submit operating permit application | | | |
| | | • | | | |
| 3.0 | | mit Revisions | | | |
| | 3.1 | Administrative permit amendment | | | |
| | 3.2 | Reopening permit | . 3 | | |
| 4.0 | Rec | Recordkeeping and Reporting4 | | | |
| | 4.1 | Recordkeeping and reporting | . 4 | | |
| | 4.2 | Construction date notification | . 4 | | |
| | 4.3 | Initial startup notification | . 4 | | |
| | 4.4 | Certification statement | . 4 | | |
| | 4.5 | Reporting permit violations | . 5 | | |
| | 4.7 | Periodic reporting | . 5 | | |
| 5.0 | Coı | Control of Regulated Air Pollutants6 | | | |
| | 5.1 | Visibility limit | . 6 | | |
| | 5.2 | Visibility exceedances | . 6 | | |
| | 5.3 | Circumvention not allowed | . 6 | | |
| | 5.4 | Minimizing emissions | . 6 | | |
| | 5.5 | Plant wide hazardous air pollutant emission limit | . 6 | | |
| 6.0 | Performance Tests | | | | |
| | 6.1 | Performance test may be required | . 7 | | |
| | 6.2 | Test methods and procedures | . 7 | | |
| | 6.3 | Representative performance test | . 7 | | |
| | 6.4 | Submittal of test plan | | | |
| | 6.5 | Notification of test | . 7 | | |
| | 6.6 | Performance test report | . 8 | | |
| 7.0 | EV | EMPTION | Q | | |

Table of Contents

| | | | Page |
|-----|-----|--------------------------------------|------|
| | 7.1 | Title V air quality permit exemption | 8 |
| 8.0 | Rec | commendation | 8 |

1.0 Standard Conditions

1.1 Construction and operation of source

In accordance with Administrative Rules of South Dakota (ARSD) 74:36:20:15(9), the owner or operator shall construct and operate the units, controls, and processes as described in Table 1-1 in accordance with the statements, representations, and supporting data contained in the complete permit application received June 21, 2012, unless modified by the conditions of this permit. Except as otherwise provided herein, the control equipment in Table 1-1 shall be operated at all times in accordance with the manufacturer's specification and in a manner that achieves compliance with the conditions of this permit. The application consists of the application forms, supporting data, and supplementary correspondence. If the owner or operator becomes aware that it failed to submit any relevant facts in a permit application or submitted incorrect information in an application, such information shall be promptly submitted.

Table 1-1 – Description of Permitted Units, Operations, and Processes

| Unit | Description | Maximum Operating Rate | Control Device |
|------|--|------------------------|-------------------|
| #1 | Paint Booth #1—Texas spray booth – dry blanket drive, Model #4D/24/14/25 | Not Applicable | Dry Filter Pads |

1.2 Duty to comply

In accordance with ARSD 74:36:20:15(12)(a) and (c), the owner or operator shall construct and operate in compliance with the conditions of this permit. An owner or operator who knowingly makes a false statement in any record or report or who falsifies, tampers with, or renders inaccurate, any monitoring device or method is in violation of this permit. A violation of any condition in this permit is grounds for enforcement, reopening this permit, permit termination, or denial of an application to operate. The owner or operator, in an enforcement action, cannot use the defense that it would have been necessary to cease or reduce the permitted activity to maintain compliance. The owner or operator shall provide any information requested by the Secretary to determine compliance or whether cause exists for reopening or terminating this permit.

1.3 Property rights or exclusive privileges

In accordance with ARSD 74:36:20:15(12)(b), the issuance of this permit, adoption of design criteria, and approval of plans and specifications does not convey any property rights of any sort, any exclusive privileges, any authorization to damage, injure or use any private property, any authority to invade personal rights, any authority to violate federal, state or local laws or regulations, or any taking, condemnation or use of eminent domain against any property owned by third parties. The State does not warrant the owner's or operator's compliance with this permit, design criteria, approved plans and specifications, and operation under this permit, will not cause damage, injury or use of private property, an invasion of personal rights, or violation of federal, state or local laws or regulations. The owner or operator is solely and severally liable for

all damage, injury or use of private property, invasion of personal rights, infringement of federal, state or local laws and regulations, or taking or condemnation of property owned by third parties, which may result from actions taken under the permit.

1.4 Penalty for violating a permit condition

In accordance with South Dakota Codified Laws (SDCL) 34A-1-39 and 34A-1-47, a violation of a permit condition may subject the owner or operator to civil or criminal prosecution, a state penalty of not more than \$10,000 per day per violation, injunctive action, administrative permit action, and other remedies as provided by law.

1.5 Inspection and entry

In accordance with SDCL 34A-1-41, the owner or operator shall allow the Secretary to:

- 1. Enter the premises where a regulated activity is located or where pertinent records are stored:
- 2. Have access to and copy any records that are required under this permit;
- 3. Inspect the construction and operations regulated under this permit; and/or
- 4. Sample or monitor any substances or parameters for the purpose of assuring compliance.

1.6 Severability

In accordance with ARSD 74:36:20:15(11), any portion of this permit that is void or challenged shall not affect the validity of the remaining permit requirements.

1.7 Credible evidence

In accordance with ARSD 74:36:13:07, credible evidence may be used for the purpose of establishing whether the owner or operator has violated or is on violation of this permit. Credible evidence is as follows:

- 1. Information from the use of the following methods is presumptively credible evidence of whether a violation has occurred at the source:
 - a. A monitoring method approved for the source pursuant to 40 CFR § 70.6(a)(3) and incorporated in this permit; or
 - b. Compliance methods specified in an applicable plan;
- 2. The following testing, monitoring, or information gathering methods are presumptively credible testing, monitoring, or information-gathering methods:
 - a. Any monitoring or testing methods approved in this permit, including those in 40 CFR Parts 51, 60, 61, and 75; or
 - b. Other testing, monitoring, or information-gathering methods that produce information comparable to that produced by any method in section (1) or (2)(a).

2.0 Construction and Operating Permit Deadlines

2.1 Commence construction

In accordance with ARSD 74:36:20:21, this permit becomes invalid if the owner or operator has not commenced construction within 18 months of the effective date of this permit; discontinued construction for a period of 18 months or more; or construction is not completed within 10 years of the effective date of this permit.

2.2 Submit operating permit application

In accordance with ARSD 74:36:20:20, the owner or operator shall submit a complete permit application for an operating permit pursuant to ARSD 74:36:04. A complete permit application for a minor air quality operating permit shall be submitted within 12 months after initial startup of paint booth #1. For the purpose of this permit condition, initial startup means the first day paint is sprayed in the paint booth.

3.0 Permit Revisions

3.1 Administrative permit amendment

In accordance with ARSD 74:36:20:16 and 74:36:20:17, the Secretary shall determine whether an administrative permit amendment is applicable to a proposed revision within 15 days from receiving a request for a permit revision. The Secretary shall issue an administrative permit amendment without the procedural requirements applicable to obtaining this construction permit. As provided in ASRD 74:36:01:03, the Secretary considers a proposed revision an administrative permit amendment if the proposed revision accomplishes one of the following:

- 1. Corrects typographical errors;
- 2. Changes the name, address, or phone number of any person identified in this permit or provides a similar minor administrative change at the source;
- 3. Requires more frequent monitoring or reporting by the source;
- 4. The ownership or operational control of a source changes and the Secretary determines that no other change in this permit is necessary. However, the new owner must submit a certification of applicant form and a written statement specifying the date for transfer of operating permit responsibility, coverage, and liability; or
- 5. Any other change that the Secretary determines to be similar to those requirements in this condition.

3.2 Reopening permit

In accordance with ARSD 74:36:20:18 and 74:36:20:19, the Secretary may reopen this permit for further review if the Secretary determines the permit contains a material mistake in establishing the emissions standard or limits or other requirements of the construction permit or the Secretary determines the construction permit must be revised to ensure compliance with the applicable

requirements of ARSD 74:36 and the federal Clean Air Act. The Secretary shall notify the owner or operator 30 days prior to reopening a construction permit or in a shorter time period in an emergency. The reopening of this construction permit shall follow the same procedural requirements to issue a construction permit and shall affect only those parts of the permit for which cause to reopen exist.

4.0 Recordkeeping and Reporting

4.1 Recordkeeping and reporting

In accordance with ARSD 74:36:20:15(10), the owner or operator shall maintain all monitoring data, records, reports, and pertinent information specified by this permit for five years from the date of sample, measurement, report, or application. The records shall be maintained on site for the first two years and may be maintained off site for the last three years. All records must be made available to the Secretary for inspection. All notifications and reports shall be submitted to the following address:

South Dakota Department of Environment and Natural Resources PMB 2020, Air Quality Program 523 E. Capitol, Joe Foss Building Pierre, SD 57501-3181

4.2 Construction date notification

In accordance with ARSD 74:36:20:15(10), the owner or operator shall notify the Secretary of the date construction commenced on the paint booth. The notification shall be postmarked within 15 days after such date.

4.3 Initial startup notification

In accordance with ARSD 74:36:20:15(10), the owner or operator shall notify the Secretary of the actual date of initial startup of the paint booth. The notification shall be postmarked within 15 days after such date. For the purpose of this permit condition, initial startup means the first day paint is sprayed in the paint booth.

4.4 Certification statement

In accordance with ARSD 74:36:20:15(10), all documents required by this permit, including application forms, reports, and compliance certification, must be certified by a responsible official or a duly authorized representative. The certification shall include the following statement:

"I certify that, based on information and belief formed after reasonable inquiry, the statements and information in this document and all attachments are true, accurate, and complete."

Draft August 2012 4

4.5 Reporting permit violations

In accordance with ARSD 74:36:20:15(10), the owner or operator shall report all permit violations. A permit violation should be reported as soon as possible, but no later than the first business day following the day the violation was discovered. The permit violation may be reported by telephone to the South Dakota Department of Environment and Natural Resources at (605) 773-3151 or by FAX at (605) 773-5286.

A written report shall be submitted within five days of discovering the permit violation. Upon prior approval from the Secretary, the submittal deadline for the written report may be extended up to 30 days. The written report shall contain:

- 1. A description of the permit violation and its cause(s);
- 2. The duration of the permit violation, including exact dates and times; and
- 3. The steps taken or planned to reduce, eliminate, and prevent reoccurrence of the permit violation.

4.6 Monthly records of hazardous air pollutant emissions.

In accordance with ARSD 74:36:20:15(10), the owner or operator shall calculate the amount of hazardous air pollutants emitted each month. A 12-month rolling total shall be calculated every month using that month's value and the previous 11 months' values. The hazardous air pollutant emissions will be based on the amount of products used each month and the composition of the product based on the material safety data sheets, manufacturer supplied formulation data, EPA approved test method data, or a method approved by the Secretary.

4.7 Periodic reporting.

In accordance with ARSD 74:36:20:15(10), the owner or operator shall submit a quarterly report to the Secretary by the end of each calendar quarter. Once the facility has successfully demonstrated compliance with the operational limits for four consecutive quarters, the owner or operator may revert to an annual report if the 12-month rolling total is less than or equal to 80 percent of the appropriate hazardous air pollutant limit. The reporting frequency may revert back to quarterly reporting if there is sufficient data that indicates more frequent reporting is warranted or the 12-month rolling total is greater than 80 percent of the appropriate hazardous air pollutant limit. The quarterly and annual report shall contain the following information:

Name of facility, permit number, reference to this permit condition, identifying the submittal as a quarterly or annual report, and calendar dates covered in the reporting period.

The quantity of hazardous air pollutants, in tons, emitted for each 12-month period in the reporting period and supporting documentation; and

A copy of the MSDS, manufacturer supplied formulation data, or EPA approved test method data for any product used at the facility during the calendar quarter that has not been previously submitted to the Secretary.

Draft August 2012 5

The first quarterly report must be postmarked no later than 30 days after the end of the calendar quarter in which the permit was issued. The remaining reports must be postmarked no later than 30 days after the end of the reporting period.

5.0 Control of Regulated Air Pollutants

5.1 Visibility limit

In accordance with ARSD 74:36:12:01, the owner or operator may not discharge into the ambient air an air contaminant of a density equal to or greater than that designated as 20 percent opacity from any permitted unit, operation, or process listed in Table 1-1, unless otherwise specified in this permit. This provision does not apply when the presence of uncombined water is the only reason for failure to meet the requirement.

5.2 Visibility exceedances

In accordance with ARSD 74:36:12:02, an exceedance of the operating limit in permit condition 5.1 is not considered a violation during brief periods of soot blowing, start-up, shutdown, or malfunctions. A malfunction is described as any sudden and unavoidable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. A failure caused entirely or in part by poor maintenance, careless operation, preventable equipment breakdown, or any other cause within the control of the owner or operator of the source is not a malfunction and is considered a violation.

5.3 Circumvention not allowed

In accordance with ARSD 74:36:20:24, the owner or operator may not install, use a device, or use a means that conceals or dilutes an air emission that would otherwise violate this permit. This includes operating a unit or control device that emits air pollutants from an opening other than the designed stack, vent, or equivalent opening.

5.4 Minimizing emissions

In accordance with ARSD 74:36:20:15(9), the owner or operator shall at all time, when practicable, maintain and operate all permitted units in a manner that minimizes air pollution emissions.

5.5 Plant wide hazardous air pollutant emission limit.

In accordance with ARSD 74:36:20:15(9), the owner or operator shall not emit greater than or equal to 9.5 tons of a single hazardous air pollutant or 23.8 tons of a combination of hazardous air pollutants from permitted units and fugitive sources per 12-month rolling period. The 12-month rolling total shall be calculated every month using that month's value and the previous 11 months' values. The 12-month rolling total shall begin the month this permit is issued.

6.0 Performance Tests

6.1 Performance test may be required

In accordance with ARSD 74:36:11:02, the Secretary may request a performance test. A performance test shall be conducted while operating the unit at or greater than 90 percent of its maximum design capacity, unless otherwise specified by the Secretary. A performance test that is conducted while operating at less than 90 percent of its maximum design capacity will result in the operation being limited to the percent achieved during the performance test. The Secretary has the discretion to extend the deadline for completion of the performance test required by the Secretary if circumstances reasonably warrant but will not extend the deadline past a federally required performance test deadline.

6.2 Test methods and procedures

In accordance with ARSD 74:36:11:01, the owner or operator shall conduct the performance test in accordance with 40 CFR Part 60, Appendix A, 40 CFR Part 63, Appendix A, and 40 CFR Part 51, Appendix M. The Secretary may approve an alternative method if a performance test specified in 40 CFR Part 60, Appendix A, 40 CFR Part 63, Appendix A, and 40 CFR Part 51, Appendix M is not applicable or required.

6.3 Representative performance test

In accordance with ARSD 74:36:07:01, as referenced to 40 CFR § 60.8(c), performance tests shall be conducted under such conditions as the Secretary shall specify to the owner or operator based on the representative performance of the unit being tested. The owner or operator shall make available to the Secretary such records as may be necessary to determine the conditions of the performance tests. Operations during periods of startup, shutdown, and malfunction shall not constitute representative conditions for the purpose of a performance test nor shall emissions in excess of the level of the applicable emission limit during periods of startup, shutdown, and malfunction be considered a violation of the applicable emission limit unless otherwise specified in this permit.

6.4 Submittal of test plan

In accordance with ARSD 74:36:11:01, the owner or operator shall submit the proposed testing procedures to the Secretary at least 30 days prior to any performance test. The Secretary will notify the owner or operator if the proposed test procedures are approved or denied. If the proposed test procedures are denied, the Secretary will provide written notification that outlines what needs to be completed for approval.

6.5 Notification of test

In accordance with ARSD 74:36:11:03, the owner or operator shall notify the Secretary at least 10 days prior to the start of a performance test to arrange for an agreeable test date when the

Secretary may observe the test. The Secretary may extend the deadline for the performance test in order to accommodate schedules in arranging an agreeable test date.

6.6 Performance test report

In accordance with ARSD 74:36:20:15(10), the owner or operator shall submit a performance test report to the Secretary within 60 days after completing the performance test or by a date designated by the Secretary. The performance test report shall contain the following information:

- 1. Description of the process and the air pollution control system being tested;
- 2. Sampling location description(s);
- 3. A description of sampling and analytical procedures and any modifications to standard procedures;
- 4. Test results expressed in units consistent with the applicable emission limit;
- 5. Quality assurance procedures and results;
- 6. Records of unit's operating conditions during the test (e.g., operating rate, fuel type);
- 7. Raw data sheets for field sampling and field and laboratory analyses;
- 8. Documentation of calculations;
- 9. All data recorded and used to establish parameters for compliance monitoring; and
- 10. Any other information required by the test method.

7.0 EXEMPTION

7.1 Title V air quality permit exemption.

In accordance with ARSD 74:36:20:15(9), the owner or operator is exempt from needing a Title V air quality permit. The exemption is based on the annual air emissions of the facility. Any changes in operation or production that increases hazardous air pollutant emissions greater than 9.5 tons per 12-month rolling period for a single hazardous air pollutant or 23.8 tons per 12-month rolling period for a combination of hazardous air pollutants will require a Title V air quality permit before that change is initiated.

8.0 Recommendation

A review of this facility indicates it can construct and operate in compliance with South Dakota's Air Pollution Control rules and the federal Clean Air Act. The Secretary, therefore, recommends the Board of Minerals and Environment issue this air quality construction permit with conditions to ensure compliance with SDCL 34A-1 and the federal Clean Air Act. Any questions pertaining to the Secretary's recommendation should be directed to Ashley Brakke, Engineer I, at (605) 773-3151.